

Schedule

PERIODIC MAINTENANCE SERVICES

2. Schedule

A: MAINTENANCE SCHEDULE 1

1. U.S.

		Maintenance interval [Number of months or km (miles), whichever occurs first]																		Remarks
Months	3	7.5	15	22.5	30	37.5	45	52.5	60	67.5	75	82.5	90	97.5	105	112.5	120			
× 1,000 km	4.8	12	24	36	48	60	72	81.4	96	108	120	132	144	156	168	180	192			
× 1,000 miles	3	7.5	15	22.5	30	37.5	45	52.5	60	67.5	75	82.5	90	97.5	105	112.5	120			
1	Engine oil		R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	Turbo model Note (5)	
2	Engine oil filter		R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	Turbo model Note (5)	
3	Spark plug					R			R				R					R	Non-turbo model	
									R									R	Turbo model	
4	Drive belt(s)					I			I				I			R				
5	Camshaft drive belt					I			I				I			R				
6	Fuel line					(I)			(I)				(I)					I	Note (1)	
7	Fuel filter								R									R		
8	Air cleaner element					R			R					R				R	Note (2)	
9	Cooling system					I			I				I					I		
10	Engine coolant	Replace after the first 11 years or 220,000 km (137,000 miles), and every six years or 120,000 km (75,000 miles) thereafter.																		
11	Clutch system			I		I		I		I		I		I		I		I		
12	Transmission oil					I			I				I					I		
13	ATF					I			I				I					I		
14	Front and rear differential oil					I			I				I					I		
15	Brake line			I		I		I		I		I		I		I		I		
16	Brake fluid					R			R				R					R		
17	Disc brake pad and disc			I		I		I		I		I		I		I		I		
18	Parking brake			I		I		I		I		I		I		I		I		
19	Suspension			I		I		I		I		I		I		I		I		
20	Wheel bearing								(I)									(I)		
21	Axle boots and joints			I		I		I		I		I		I		I		I		
22	Tire rotation		I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	Note (3)	
23	Steering system (power steering)			I		I		I		I		I		I		I		I		
24	A/C filter	Check every 12 months or every 12,000 km (7,500 miles).																		

Symbols used:

R: Replace

I: Inspection

(R) or (I): Recommended service for safe vehicle operation.

Schedule

PERIODIC MAINTENANCE SERVICES

NOTE:

1. This inspection is not required to maintain emission warranty eligibility and it does not affect the manufacturer's obligations under EPA's in-use compliance program.
2. When the vehicle is used in extremely dusty conditions, the air cleaner element should be replaced more often.
3. A tire should be replaced when the tread wear indicator appears as a solid band across the tread. The indicators appear when the remaining tread has been worn to 1.6 mm (0.063 in) or less.
4. When the A/C filter is installed.
5. For turbo model, replace every 3.75 months or every 6,000 km (3,750 miles).

Schedule

PERIODIC MAINTENANCE SERVICES

2. CANADA

		Maintenance interval																	Remarks
		[Number of months or km (miles), whichever occurs first]																	
		Months	3	7.5	15	22.5	30	37.5	45	52.5	60	67.5	75	82.5	90	97.5	105	112.5	
× 1,000 km	4.8	12	24	36	48	60	72	81.4	96	108	120	132	144	156	168	180	192		
× 1,000 miles	3	7.5	15	22.5	30	37.5	45	52.5	60	67.5	75	82.5	90	97.5	105	112.5	120		
1	Engine oil	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	
2	Engine oil filter	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	Turbo model Note (5)
3	Spark plug					R				R				R				R	Non-turbo model
										R								R	Turbo model
4	Drive belt(s)					I				I				I		R			
5	Camshaft drive belt					I				I				I		R			
6	Fuel line					(I)				(I)				(I)				I	Note (1)
7	Fuel filter									R								R	
8	Air cleaner element					R				R				R				R	Note (2)
9	Cooling system					I				I				I				I	
10	Engine coolant	Replace after the first 11 years or 220,000 km (137,000 miles), and every six years or 120,000 km (75,000 miles) thereafter.																	
11	Clutch system			I		I		I		I		I		I		I		I	
12	Transmission oil					I				I				I				I	
13	ATF					I				I				I				I	
14	Front and rear differential oil					I				I				I				I	
15	Brake line			I		I		I		I				I		I		I	
16	Brake fluid					R				R				R				R	
17	Disc brake pad and disc			I		I		I		I				I		I		I	
18	Parking brake			I		I		I		I				I		I		I	
19	Suspension			I		I		I		I				I		I		I	
20	Wheel bearing									(I)								(I)	
21	Axle boots and joints			I		I		I		I				I		I		I	
22	Tire rotation		I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	Note (3)
23	Steering system (power steering)			I		I		I		I				I		I		I	
24	A/C filter	Check every 12 months or every 12,000 km (7,500 miles).																	Note (4)

Symbols used:

R: Replace

I: Inspection

(R) or (I): Recommended service for safe vehicle operation.

NOTE:

1. This inspection is not required to maintain emission warranty eligibility and it does not affect the manufacturer's obligations under EPA's in-use compliance program.

2. When the vehicle is used in extremely dusty conditions, the air cleaner element should be replaced more often.

3. A tire should be replaced when the tread wear indicator appears as a solid band across the tread. The indicators appear when the remaining tread has been worn to 1.6 mm (0.063 in) or less.

4. When the A/C filter is installed.

5. For turbo model, replace every 3.75 months or every 6,000 km (3,750 miles).

Schedule

PERIODIC MAINTENANCE SERVICES

B: MAINTENANCE SCHEDULE 2

Item	Maintenance interval	Repeat short distance drive	Repeat rough/muddy road drive	Extremely cold weather area	Salt or other corrosive used or coastal area	High humidity or mountain area	Repeat towing trailer
Engine oil	3.75 months	R		R			R
	6,000 km						
	3,750 miles						
Engine oil filter	3.75 months	R		R			R
	6,000 km						
	3,750 miles						
Fuel line	7.5 months				I		
	12,000 km						
	7,500 miles						
Transmission oil	15 months						R
	24,000 km						
	15,000 miles						
ATF	15 months						R
	24,000 km						
	15,000 miles						
Front and rear differential oil	15 months						R
	24,000 km						
	15,000 miles						
Brake line	7.5 months				I		
	12,000 km						
	7,500 miles						
Brake fluid	15 months					R	
	24,000 km						
	15,000 miles						
Disc brake pad and disc	7.5 months	I	I		I		I
	12,000 km						
	7,500 miles						
Parking brake	7.5 months				I		
	12,000 km						
	7,500 miles						
Suspension	7.5 months		I	I	I		
	12,000 km						
	7,500 miles						
Axle Boots & Joints	7.5 months	I	I		I		I
	12,000 km						
	7,500 miles						
Steering system (Power steering)	7.5 months		I	I	I		
	12,000 km						
	7,500 miles						